

## POWERFLOW FLUSHING MACHINE MKIII

- Powerflush central heating systems to remove corrosion debris, sludge and scale
- De-scale boilers
- Overcome boiler noise and circulation problems
- Clean a system with just ONE visit to site
- Use with Fernox products only
- High temperature operation to enable faster cleaning



### Benefits of owning a Fernox Powerflow Flushing Machine

This powerful flushing pump is an ideal package to make short work of cleaning boiler and radiator systems without removing radiators. It can also double up as a descaling pump for heat exchangers.

Saves time on-site. Using the Powerflow Flushing Machine MKIII at temperatures of up to 85°C together with Fernox DS40 System Cleaner, System Neutraliser, Powerflushing Cleaner F5 or Cleaner F3, only one visit to site is required to powerflush a central heating system.

The Building Regulations for England and Wales, Part L 2006, now require a central heating system to be cleaned and inhibited chemically with every boiler change. The Fernox Powerflow Flushing Machine will add value to your business and enhance your professional image. Use it to offer a fast, professional and reliable cleaning and flushing service when replacing boilers. Many boiler manufacturers now make the warranty dependent on flushing and cleaning in accordance with Benchmark and Part L.

### WHEN TO FLUSH A HEATING SYSTEM?

Use a Fernox Powerflow Flushing Machine when:

- Fitting a new boiler to an existing system
- Fitting TRVs or up-grading to a fully pumped system
- Cleaning drop feed radiators in-situ
- Removing black sludge
- Overcoming circulation problems
- For curing boiler noise and for boiler descaling

### PRODUCT SPECIFICATION

The Fernox Powerflow Flushing Machine features:

- 1100W pump/motor
- Circulation rate of up to 99 l/min
- Proportional full bore dumping at 60 l/min
- Rated to 85°C operating temperature
- CE marked pump
- Reversible flow action
- 50 litre tank capacity
- Integral double check valve on mains fill
- Two year return to base warranty
- Light weight